




Building a new home? Your home is your castle, and with new construction you get to make choices that make **lasting** impacts. Protect your largest investment from the start with treated wood solutions such as **QuantIM™ Mold Resistant Treated Wood.**

Unless required by local building codes, very little lumber in a typical home is pressure-treated to provide protection against termite attack or mold formation. For the same cost as a nice counter-top upgrade, a homeowner could choose to buy long-term mold protection for the entire home.

QuantIM is a new pressure-treatment mold-preventative innovation that helps protect lumber from mold formation. If you have ever dealt with mold in a home, you know this truth: It is much easier to prevent mold than to remove it later. As you make decisions in the construction of your new castle, protect your investment with Whole-House Framing solutions from Viance.



1-800-421-8661





What is QuanTIM?

QuanTIM treated wood products are protected with a patented formulation containing highly effective, EPA-registered mold control agents. The advanced QuanTIM mold-control system ensures effective protection against mold growth, while also providing supplemental protection against wood decay and termites.

New Technology for Mold Resistance

QuanTIM™ Mold Resistant wood framing and sheathing products now offer retailers, building component manufacturers, builders and consumers the mold-resistant building materials they require. (See QuanTIM Limited Warranty for complete details).

QuanTIM Mold Resistant wood products are an effective solution to the challenge of supplying the construction industry with framing, truss and sheathing products that will remain clean, bright and mold resistant during all stages of construction – from storage and transportation through to project completion.

QuanTIM = Peace of Mind

For the builder and homeowner, QuanTIM-protected wood products are warranted to remain mold resistant for 20 years, when properly installed in interior applications protected from the weather (see QuanTIM Limited Warranty for complete details). This protection provides long-term peace of mind that the structural components of a house manufactured using QuanTIM Mold Resistant wood products will remain resistant to mold growth that can lead to discoloration, odors, and deterioration.

QuanTIM Quality Is Assured

QuanTIM Mold Resistant products are produced in a factory-controlled environment under a comprehensive third-party quality control program.

Purple = Mold Resistant

To help retailers, builders, manufacturers and homeowners easily identify QuanTIM Mold Resistant wood products in the market place and on the building site, a unique purple dye is added to the mold control formulation. Each piece of QuanTIM protected wood is also identified with an end tag bearing the QuanTIM™ logo.



Scan with mobile phone to visit www.TreatedWood.com

Get the free mobile app at <http://gettag.mobi>



For more information call 1-800-421-8661, fax us at 704-527-8232 or visit

20-Year Limited Warranty

QuanTIM Mold Resistant Wood offers a 20-Year Limited Warranty against surface mold growth. See QuanTIM warranty for full details.

Additional Information on Mold Protection

Mold needs moisture and a food source to grow. Food sources for mold can include unprotected wood, sheet rock and other building materials. When these materials are exposed to moisture, mold can begin to grow within 48 hours. Using advanced technology mold resistant building materials such as QuanTIM framing and sheathing products, building components can remain mold resistant for the life of the structure.

In addition to using mold resistant materials such as QuanTIM, mold growth can be prevented by adopting moisture control measures in all stages of construction. Moisture control can be accomplished by:

- Proper storage of materials
- Workmanship that prevents exposure to water
- Home designs that reduce water vapor build-up

Safety & Handling

Follow the safe practices listed below when working with pressure-treated wood. Specific work practices may vary depending on the environment and safety requirements of individual jobs.

- Wear gloves to protect against splinters.
- Wear a dust mask when machining any wood to reduce the inhalation of wood dusts.
- Wear appropriate eye protection to reduce the potential for eye injury from wood particles and flying debris during machining.
- Wash thoroughly with mild soap and water after working with treated wood.
- Do not burn pressure-treated wood.
- Wash work clothes separately from other household clothing before reuse.
- Pressure-treated wood should not be used where it may come into direct or indirect contact with drinking water, except for uses involving incidental contact such as fresh water docks and bridges.
- Do not use pressure-treated wood in circumstances where the preservative may become a component of food, animal feed, or beehives.
- Do not use pressure-treated wood for mulch.
- Treated wood scraps and cut offs should be disposed of in a non-hazardous material lined landfill in accordance with local, state and federal regulations.

©Viance LLC 2011. All rights reserved. All logos and trademarks are exclusive property of their respective owners. PD 12/311



Viance LLC • 200 E Woodlawn Rd, Ste 350, Charlotte, NC 28217