

Home Innovation NGBS GREEN CERTIFIED TM

THIS IS TO SIGNIFY THAT THE FOLLOWING PRODUCTS FOR RESIDENTIAL CONSTRUCTION

VIANCE ECOLIFE (EL2) STABILIZED WEATHER-RESISTANT WOOD

MANUFACTURED BY

VIANCE LLC

HAVE BEEN CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700 NATIONAL GREEN BUILDING STANDARD AS DETAILED IN NGBS GREEN CERTIFIED PRODUCT REPORT #NGBSGCP-000054.

Thomas M. Kenney, P.E. – VP Research & Engineering

August 5, 2009 Approval Date December 31, 2020 Expiration Date

CERTIFICATE #000054

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.

Home Innovation Research Labs | 400 Prince George's Boulevard | Upper Marlboro, MD 20774 | HomeInnovation.com/green



NGBS Green Certified Product Report #NGBSGCP-000054

Products: Viance Ecolife (EL2) Stabilized Weather-Resistant Wood

Manufacturer: Viance LLC

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2012 NATIONAL GREEN BUILDING STANDARD				
PRACTICE #	PRACTICE DESCRIPTION	Potential Points Available	Additional Conditions of Use to Award Points	
2012 NGBS 602.1.6	Termite-resistant materials are used in portions of the building.	2-6	To earn 2 points, product is used in conjunction with other termite-resistant materials for the first 2' of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. Four points are awarded when used in the first 3' in moderate to heavy termite zones, and 6 points are awarded for use in all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.	

2015 NATIONAL GREEN BUILDING STANDARD				
PRACTICE #	PRACTICE DESCRIPTION	Potential Points Available	Additional Conditions of Use to Award Points	
2015 NGBS 602.1.6	Termite-resistant materials are used in portions of the building	2-6	To earn 2 points, product is used in conjunction with other termite-resistant materials for the first 2' of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. Four points are awarded when used in the first 3' in moderate to heavy termite zones, and 6 points are awarded for use in all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.	